

LeechCraft - Bug #1673

Серфолт при старте при недоступности части коллекции

07/16/2014 11:46 PM - Mellon

Status:	Closed	Start date:	07/16/2014
Priority:	Normal	Due date:	
Assignee:	0xd34df00d	% Done:	100%
Category:	Plugins: LMP	Estimated time:	8.00 hours
Target version:	0.6.75		
Reported in:	master		
Description			
STR: по-ходу рандом			
Expected result:			
Actual result:			
System information: LeechCraft 0.6.65-1730-g1b3ee29 Built with Qt 4.8.5, running with Qt 4.8.5 Running on: Gentoo/Linux x86_64 3.14.10-gentoo #1 SMP PREEMPT Fri Jul 4 17:36:51 MSK 2014			
Related issues:			
Related to Bug #1645: Зависания и падения после отмонтирования раздела с колл...		Closed	06/13/2014

History

#1 - 07/17/2014 10:03 AM - Mellon

=== SYSTEM INFO ===

Offending signal: 11

App path: /usr/bin/leechcraft

App version: 0.6.65-1730-g1b3ee29

Qt version (build-time): 4.8.5

Qt version (runtime): 4.8.5

OS: Gentoo/Linux

OS version: x86_64 3.14.10-gentoo #1 SMP PREEMPT Fri Jul 4 17:36:51 MSK 2014

=== BACKTRACE ===

[New LWP 23192]

[New LWP 23191]

[New LWP 8027]

[New LWP 8026]

[New LWP 8025]

[New LWP 8024]

[New LWP 30920]

[New LWP 30919]

[New LWP 30773]

[New LWP 30772]

[New LWP 29901]

[New LWP 29900]

[New LWP 29899]

[New LWP 29826]

[New LWP 29825]

[New LWP 29502]

[New LWP 29501]

[New LWP 29473]

[New LWP 29472]

[New LWP 29362]

[New LWP 29350]

[New LWP 29346]

[New LWP 29332]

[New LWP 29239]

[New LWP 29237]

[New LWP 29235]

[New LWP 29228]

```

[New LWP 29205]
[New LWP 29199]
[New LWP 29191]
[New LWP 29188]
[New LWP 29187]
[New LWP 29168]
[New LWP 29151]
[New LWP 29148]
[New LWP 29144]
[New LWP 29134]
[New LWP 29133]
[New LWP 29132]
[New LWP 29131]
[New LWP 29122]
[New LWP 29121]
[New LWP 29120]
[New LWP 29119]
[New LWP 29116]
[New LWP 29108]
[New LWP 29107]
[New LWP 29106]
[New LWP 29105]
[New LWP 29104]
[New LWP 29103]
[New LWP 29102]
[New LWP 29101]
[New LWP 29100]
[Thread debugging using libthread_db enabled]
Using host libthread_db library "/lib64/libthread_db.so.1".
0x00007fa8eaf4386 in waitpid () from /lib64/libc.so.6
[Current thread is 1 (Thread 0x7fa8ef63d780 (LWP 28990))]
Thread 55 (Thread 0x7fa8a8aab700 (LWP 29100)):
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa8e64f4844 in ?? () from /usr/lib64/qt4/libQtWebKit.so.4
#2 0x00007fa8e64f48ab in ?? () from /usr/lib64/qt4/libQtWebKit.so.4
#3 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#4 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 54 (Thread 0x7fa8a82aa700 (LWP 29101)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8a00008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8a82a9dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8a82a9dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f0cfd860) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f0cfd860) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0cfd860) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 53 (Thread 0x7fa8a7aa9700 (LWP 29102)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8980008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8a7aa8dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8a7aa8dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f0d02880) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f0d02880) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0d02880) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 52 (Thread 0x7fa8a72a8700 (LWP 29103)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa89c0008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427

```

```

#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8a72a7dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8a72a7dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f0e76850) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f0e76850) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0e76850) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 51 (Thread 0x7fa8a6aa7700 (LWP 29104)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8900008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8a6aa6dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8a6aa6dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f0dd8c00) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f0dd8c00) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0dd8c00) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 50 (Thread 0x7fa8a62a6700 (LWP 29105)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8940008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8a62a5dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8a62a5dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f0dda7c0) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f0dda7c0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0dda7c0) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 49 (Thread 0x7fa8a5aa5700 (LWP 29106)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8880008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8a5aa4dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8a5aa4dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f0eb79c0) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f0eb79c0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0eb79c0) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 48 (Thread 0x7fa8a52a4700 (LWP 29107)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa88c0008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8a52a3dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8a52a3dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f0a6e3e0) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f0a6e3e0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0a6e3e0) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

```

```

Thread 47 (Thread 0x7fa8a4aa3700 (LWP 29108)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8800008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8a4aa2dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8a4aa2dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f0ebb740) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f0ebb740) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0ebb740) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 46 (Thread 0x7fa887fff700 (LWP 29116)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8d065b4d4 in ?? () from /usr/lib64/libpulse.so.0
#2 0x00007fa8d064acee in pa_mainloop_poll () from /usr/lib64/libpulse.so.0
#3 0x00007fa8d064b401 in pa_mainloop_iterate () from /usr/lib64/libpulse.so.0
#4 0x00007fa8d064b4e0 in pa_mainloop_run () from /usr/lib64/libpulse.so.0
#5 0x00007fa8d065b44a in ?? () from /usr/lib64/libpulse.so.0
#6 0x00007fa8d00d772c in ?? () from /usr/lib64/pulseaudio/libpulsecommon-5.0.so
#7 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#8 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 45 (Thread 0x7fa8877fe700 (LWP 29119)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430dc8 in QEventDispatcherGlib::processEvents (this=0x7fa86c0008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:425
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8877fdde0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8877fdde0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f0e9c130) at thread/qthread.cpp:536
#7 0x00007fa8ed2b792b in QThread::run (this=this@entry=0x7fa8f0e9c130) at thread/qthread.cpp:603
#8 0x00007fa8d1b7cd35 in LeechCraft::Azoth::ChatHistory::StorageThread::run (this=0x7fa8f0e9c130) at /var/tmp/portage/app-leechcraft/lc-azoth-9999/work/lc-azoth-9999/src/plugins/azoth/plugins/chathistory/storagethread.cpp:59
#9 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0e9c130) at thread/qthread_unix.cpp:338
#10 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#11 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 44 (Thread 0x7fa886ffd700 (LWP 29120)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8680008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa886ffcdc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa886ffcdc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f10efbe0) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f10efbe0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f10efbe0) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 43 (Thread 0x7fa8867fc700 (LWP 29121)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8700008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8867fbdc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8867fbdc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f10eab20) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f10eab20) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f10eab20) at thread/qthread_unix.cpp:338

```

```

#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 42 (Thread 0x7fa885ffb700 (LWP 29122)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8640008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa885ffadc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa885ffadc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f10f3e90) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f10f3e90) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f10f3e90) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 41 (Thread 0x7fa8857fa700 (LWP 29131)):
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa8baacd56b in libtorrent::disk_io_thread::thread_fun() () from /usr/lib64/libtorrent-rasterbar.so.7
#2 0x00007fa8baa926e2 in boost_asio_detail_posix_thread_function () from /usr/lib64/libtorrent-rasterbar.so.7
#3 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#4 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 40 (Thread 0x7fa884ff9700 (LWP 29132)):
#0 0x00007fa8eaf298d3 in epoll_wait () from /lib64/libc.so.6
#1 0x00007fa8baa9b85a in boost::asio::detail::epoll_reactor::run(bool, boost::asio::detail::op_queue<boost::asio::detail::task_io_service_operation>&) () from /usr/lib64/libtorrent-rasterbar.so.7
#2 0x00007fa8baa9c4ca in boost::asio::detail::task_io_service::do_run_one(boost::asio::detail::scoped_lock<boost::asio::detail::posix_mutex>&, boost::asio::detail::task_io_service_thread_info&, boost::system::error_code const&) () from /usr/lib64/libtorrent-rasterbar.so.7
#3 0x00007fa8baa1fd1 in boost::asio::detail::task_io_service::run(boost::system::error_code&) () from /usr/lib64/libtorrent-rasterbar.so.7
#4 0x00007fa8babdb38b in libtorrent::aux::session_impl::main_thread() () from /usr/lib64/libtorrent-rasterbar.so.7
#5 0x00007fa8baa926e2 in boost_asio_detail_posix_thread_function () from /usr/lib64/libtorrent-rasterbar.so.7
#6 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#7 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 39 (Thread 0x7fa87bffe700 (LWP 29133)):
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa8baa9c624 in boost::asio::detail::task_io_service::do_run_one(boost::asio::detail::scoped_lock<boost::asio::detail::posix_mutex>&, boost::asio::detail::task_io_service_thread_info&, boost::system::error_code const&) () from /usr/lib64/libtorrent-rasterbar.so.7
#2 0x00007fa8baa1fd1 in boost::asio::detail::task_io_service::run(boost::system::error_code&) () from /usr/lib64/libtorrent-rasterbar.so.7
#3 0x00007fa8baa21cd in boost::asio::io_service::run() () from /usr/lib64/libtorrent-rasterbar.so.7
#4 0x00007fa8baa926e2 in boost_asio_detail_posix_thread_function () from /usr/lib64/libtorrent-rasterbar.so.7
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 38 (Thread 0x7fa87b7fd700 (LWP 29134)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430dc8 in QEventDispatcherGlib::processEvents (this=0x7fa8580008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:425
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa87b7fce20, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa87b7fce20, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f28567c0) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 37 (Thread 0x7fa87affc700 (LWP 29144)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa84c0008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa87affbdc0, flags=...) at kernel/qeventloop.cpp:149

```

```

#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa87affbdc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f2f20bc0) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f2f20bc0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f2f20bc0) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 36 (Thread 0x7fa87a381700 (LWP 29148)):
#0 0x00007fa8eac2066e in pthread_cond_timedwait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa8e9a025f8 in g_cond_wait_until () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8b7cb5d03 in gst_bus_timed_pop_filtered () from /usr/lib64/libgststreamer-0.10.so.0
#3 0x00007fa8b858c61e in LeechCraft::LMP::MsgPopThread::run (this=0x7fa8f32a6990) at /var/tmp/portage/app-leechcraft/lc-lmp-9999/work/lc-lmp-9999/src/plugins/lmp/engine/sourceobject.cpp:111
#4 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f32a6990) at thread/qthread_unix.cpp:338
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 35 (Thread 0x7fa84bfff700 (LWP 29151)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8440008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa84bffedc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa84bffedc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f355b010) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f355b010) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f355b010) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 34 (Thread 0x7fa843fff700 (LWP 29168)):
#0 0x00007fa8eaf20f83 in select () from /lib64/libc.so.6
#1 0x00007fa8ed3cbcb2 in QProcessManager::run (this=0x7fa8ed77bde0 <processManager()::processManager>) at io/qprocess_unix.cpp:247
#2 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8ed77bde0 <processManager()::processManager>) at thread/qthread_unix.cpp:338
#3 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#4 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 33 (Thread 0x7fa8437fe700 (LWP 29187)):
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa8ed2badc3 in wait (time=18446744073709551615, this=0x7fa8f3c8a650) at thread/qwaitcondition_unix.cpp:86
#2 QWaitCondition::wait (this=this@entry=0x7fa8f3c8ald8, mutex=mutex@entry=0x7fa8f3c8ald0, time=time@entry=18446744073709551615) at thread/qwaitcondition_unix.cpp:158
#3 0x00007fa8ee789637 in QFileInfoGatherer::run (this=0x7fa8f3c8alc0) at dialogs/qfileinfogatherer.cpp:214
#4 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f3c8alc0) at thread/qthread_unix.cpp:338
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 32 (Thread 0x7fa842ffd700 (LWP 29188)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8380008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa842ffcdc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa842ffcdc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f3c8a750) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f3c8a750) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f3c8a750) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 31 (Thread 0x7fa8427fc700 (LWP 29191)):
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa8ed2badc3 in wait (time=18446744073709551615, this=0x7fa8f3ea8b20) at thread/qwaitcondition_unix.cpp:86
#2 QWaitCondition::wait (this=<optimized out>, mutex=0x7fa8f3ea7970, time=18446744073709551615) at thread/qwaitcondition_unix.cpp:158
#3 0x00007fa8e61ee52b in ?? () from /usr/lib64/qt4/libQtWebKit.so.4

```

```

#4 0x00007fa8e61f1855 in ?? () from /usr/lib64/qt4/libQtWebKit.so.4
#5 0x00007fa8e64fd961 in ?? () from /usr/lib64/qt4/libQtWebKit.so.4
#6 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f3eb3270) at thread/qthread_unix.cpp:338
#7 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#8 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 30 (Thread 0x7fa841ffb700 (LWP 29199)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8300008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa841ffae20, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa841ffae20, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f3fdd5c0) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 29 (Thread 0x7fa8414c3700 (LWP 29205)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8240008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8414c2dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa8414c2dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f402b240) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f402b240) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f402b240) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 28 (Thread 0x7fa82bfff700 (LWP 29228)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430dc8 in QEventDispatcherGlib::processEvents (this=0x7fa8200008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:425
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa8200013c0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=0x7fa8200013c0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8d0bbc5e in QCA::SyncThread::run() () from /usr/lib64/qca2/libqca.so.2
#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8200013e0) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 27 (Thread 0x7fa82b5a4700 (LWP 29235)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa82001b730, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa82b5a3e20, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa82b5a3e20, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f0925aa0) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 26 (Thread 0x7fa82ada3700 (LWP 29237)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8f0829c70, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa82ada2e20, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa82ada2e20, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536

```

```

#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f43cb910) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 25 (Thread 0x7fa829da1700 (LWP 29239)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8300036d0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa829da0dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa829da0dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f2f21ae0) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f2f21ae0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f2f21ae0) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 24 (Thread 0x7fa82939a700 (LWP 29332)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa82c002a30, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa829399e20, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa829399e20, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f5a15de0) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 23 (Thread 0x7fa828b3f700 (LWP 29346)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa838002c60, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa828b3edc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa828b3edc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f7463a70) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f7463a70) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f7463a70) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 22 (Thread 0x7fa81fc3d700 (LWP 29350)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8340036d0, flags=...) at kernel/qeventdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa81fc3ce20, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa81fc3ce20, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f77b9f00) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 21 (Thread 0x7fa81f43c700 (LWP 29362)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430dc8 in QEventDispatcherGlib::processEvents (this=0x7fa83c0013c0, flags=...) at kernel/qeventdispatcher_glib.cpp:425
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa81f43bdc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa81f43bdc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f32c5dc0) at thread/qthread.cpp:536

```



```

#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f32c5dc0) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f32c5dc0) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 20 (Thread 0x7fa81e835700 (LWP 29472)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430dc8 in QEventDispatcherGlib::processEvents (this=0x7fa844002360, flags=...) at kernel/qeven
tdispatcher_glib.cpp:425
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa81e834de0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa81e834de0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f87e5100) at thread/qthread.cpp:536
#7 0x00007fa8eef4fb5a in QDeclarativePixmapReader::run (this=0x7fa8f87e5100) at util/qdeclarativepixmapcache.
cpp:576
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f87e5100) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 19 (Thread 0x7fa81e034700 (LWP 29473)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8500013c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa81e033e20, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa81e033e20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa844005fb0) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 18 (Thread 0x7fa81d833700 (LWP 29501)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430dc8 in QEventDispatcherGlib::processEvents (this=0x7fa84c002c60, flags=...) at kernel/qeven
tdispatcher_glib.cpp:425
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa81d832de0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa81d832de0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f5d7b520) at thread/qthread.cpp:536
#7 0x00007fa8eef4fb5a in QDeclarativePixmapReader::run (this=0x7fa8f5d7b520) at util/qdeclarativepixmapcache.
cpp:576
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f5d7b520) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 17 (Thread 0x7fa81d032700 (LWP 29502)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa85800ba10, flags=...) at kernel/qeven
tdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa81d031e20, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa81d031e20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa84c0068b0) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 16 (Thread 0x7fa7f4e82700 (LWP 29825)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa874006210, flags=...) at kernel/qeven
tdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa7f4e81dc0, flags=...) at kernel/qeve
ntloop.cpp:149

```

```
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa7f4e81dc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f66998c0) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f66998c0) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f66998c0) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
```

Thread 15 (Thread 0x7fa7c9bee700 (LWP 29826)):

```
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa880002b70, flags=...) at kernel/qeven
tdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa7c9beddc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa7c9beddc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa8f68022d0) at thread/qthread.cpp:536
#7 0x00007fa8ed3cf73c in QInotifyFileSystemWatcherEngine::run (this=0x7fa8f68022d0) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8f68022d0) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
```

Thread 14 (Thread 0x7fa7c2885700 (LWP 29899)):

```
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa7c28ac973 in queue_processor(void*) () from /usr/lib64/icedtea7-web/lib64/IcedTeaPlugin.so
#2 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#3 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
```

Thread 13 (Thread 0x7fa7c2084700 (LWP 29900)):

```
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa7c28ac973 in queue_processor(void*) () from /usr/lib64/icedtea7-web/lib64/IcedTeaPlugin.so
#2 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#3 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
```

Thread 12 (Thread 0x7fa7c1883700 (LWP 29901)):

```
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa7c28ac973 in queue_processor(void*) () from /usr/lib64/icedtea7-web/lib64/IcedTeaPlugin.so
#2 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#3 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
```

Thread 11 (Thread 0x7fa81a118700 (LWP 30772)):

```
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b14ba in g_main_loop_run () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa84a14641c in ?? () from /usr/lib64/libgio-2.0.so.0
#4 0x00007fa8e99df6eb in ?? () from /usr/lib64/libglib-2.0.so.0
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
```

Thread 10 (Thread 0x7fa7bb9f9700 (LWP 30773)):

```
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8e99b10b1 in ?? () from /usr/lib64/libglib-2.0.so.0
#4 0x00007fa8e99df6eb in ?? () from /usr/lib64/libglib-2.0.so.0
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
```

Thread 9 (Thread 0x7fa81b11a700 (LWP 30919)):

```
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430dc8 in QEventDispatcherGlib::processEvents (this=0x7fa85c0013c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:425
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa81b119de0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa81b119de0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=this@entry=0x7fa90ad5e760) at thread/qthread.cpp:536
#7 0x00007fa8eef4fb5a in QDeclarativePixmapReader::run (this=0x7fa90ad5e760) at util/qdeclarativepixmapcache.
cpp:576
#8 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa90ad5e760) at thread/qthread_unix.cpp:338
#9 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
```

```

#10 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 8 (Thread 0x7fa7bc216700 (LWP 30920)):
#0 0x00007fa8eaf1e4ed in poll () from /lib64/libc.so.6
#1 0x00007fa8e99b0ea5 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fa8ed430de7 in QEventDispatcherGlib::processEvents (this=0x7fa8a0008bc0, flags=...) at kernel/qevent
tdispatcher_glib.cpp:427
#4 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7fa7bc215e20, flags=...) at kernel/qevent
ntloop.cpp:149
#5 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7fa7bc215e20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fa8ed2b77ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa85c003ac0) at thread/qthread_unix.cpp:338
#8 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 7 (Thread 0x7fa7b95c5700 (LWP 8024)):
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa7c82b469c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fa7c7efe8f0 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fa7c82b48fc in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fa7c82b4e4e in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 6 (Thread 0x7fa7b7041700 (LWP 8025)):
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa7c82b469c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fa7c7efe8f0 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fa7c82b48fc in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fa7c82b4e4e in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 5 (Thread 0x7fa7bb0f8700 (LWP 8026)):
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa7c82b469c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fa7c7efe8f0 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fa7c82b48fc in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fa7c82b4e4e in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 4 (Thread 0x7fa8d3ffff700 (LWP 8027)):
#0 0x00007fa8eac2029c in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa7c82b469c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fa7c7efe8f0 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fa7c82b48fc in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fa7c82b4e4e in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6
Thread 3 (Thread 0x7fa8d37fe700 (LWP 23191)):
#0 0x00007fa8eac2066e in pthread_cond_timedwait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa8ed2bad9f in wait (time=30000, this=0x7fa8f08f9980) at thread/qwaitcondition_unix.cpp:84
#2 QWaitCondition::wait (this=<optimized out>, mutex=mutex@entry=0x7fa8f08cc6b8, time=30000) at thread/qwaitc
ondition_unix.cpp:158
#3 0x00007fa8ed2aaae3 in QThreadPoolThread::run (this=0x7fa8d400aed0) at concurrent/qthreadpool.cpp:141
#4 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8d400aed0) at thread/qthread_unix.cpp:338
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 2 (Thread 0x7fa7b7842700 (LWP 23192)):
#0 0x00007fa8eac2066e in pthread_cond_timedwait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fa8ed2bad9f in wait (time=30000, this=0x7fa8f08f9980) at thread/qwaitcondition_unix.cpp:84
#2 QWaitCondition::wait (this=<optimized out>, mutex=mutex@entry=0x7fa8f08cc6b8, time=30000) at thread/qwaitc
ondition_unix.cpp:158
#3 0x00007fa8ed2aaae3 in QThreadPoolThread::run (this=0x7fa8d400b2d0) at concurrent/qthreadpool.cpp:141
#4 0x00007fa8ed2ba72c in QThreadPrivate::start (arg=0x7fa8d400b2d0) at thread/qthread_unix.cpp:338
#5 0x00007fa8eac1c10d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fa8eaf2917d in clone () from /lib64/libc.so.6

Thread 1 (Thread 0x7fa8ef63d780 (LWP 28990)):
#3 <signal handler called>
#4 __atomic_add (__val=1, __mem=0x59) at /usr/lib/gcc/x86_64-pc-linux-gnu/4.8.3/include/g++-v4/ext/atomicity.
h:53
#5 __atomic_add_dispatch (__val=1, __mem=0x59) at /usr/lib/gcc/x86_64-pc-linux-gnu/4.8.3/include/g++-v4/ext/a

```

```
tomicity.h:96
#6 _M_add_ref_copy (this=0x51) at /usr/lib/gcc/x86_64-pc-linux-gnu/4.8.3/include/g++-v4/bits/shared_ptr_base.h:131
#7 operator= (__r=..., this=0x7fa9089e0f48) at /usr/lib/gcc/x86_64-pc-linux-gnu/4.8.3/include/g++-v4/bits/shared_ptr_base.h:563
#8 operator= (this=0x7fa9089e0f40) at /usr/lib/gcc/x86_64-pc-linux-gnu/4.8.3/include/g++-v4/bits/shared_ptr_base.h:728
#9 operator= (this=0x7fa9089e0f40) at /usr/lib/gcc/x86_64-pc-linux-gnu/4.8.3/include/g++-v4/bits/shared_ptr.h:93
#10 qCopy<std::shared_ptr<LeechCraft::Util::ModelItem*>, std::shared_ptr<LeechCraft::Util::ModelItem*>> (dest=0x7fa9089e0f40, end=<optimized out>, begin=0x7fa9089e0f50) at /usr/include/qt4/QtCore/qalgorithms.h:82
#11 QVector<std::shared_ptr<LeechCraft::Util::ModelItem*>>::erase (this=this@entry=0x7fa8f7d00590, abegin=<optimized out>, aend=aend@entry=0x7fa9089e0f40) at /usr/include/qt4/QtCore/qvector.h:634
#12 0x00007fa8d132cb7f in LeechCraft::Util::ModelItem::EraseChildren (this=this@entry=0x7fa8f7d00570, begin=<optimized out>, end=end@entry=0x7fa9089e0f40) at /var/tmp/portage/app-leechcraft/lc-core-9999/work/lc-core-9999/src/util/models/modelitem.cpp:104
#13 0x00007fa8d13257f5 in LeechCraft::Util::MergeModel::handleRowsAboutToBeRemoved (this=<optimized out>, parent=..., first=5, last=<optimized out>) at /var/tmp/portage/app-leechcraft/lc-core-9999/work/lc-core-9999/src/util/models/mergemodel.cpp:433
#14 0x00007fa8ed411afd in QMetaObject::activate (sender=sender@entry=0x7fa8f32c4e60, m=m@entry=0x7fa8ed778e80 <QAbstractItemModel::staticMetaObject>, local_signal_index=local_signal_index@entry=6, argv=argv@entry=0x7ffffb7f2eb0) at kernel/qobject.cpp:3547
#15 0x00007fa8ed473b2d in QAbstractItemModel::rowsAboutToBeRemoved (this=this@entry=0x7fa8f32c4e60, _t1=..., _t2=_t2@entry=5, _t3=_t3@entry=5) at .moc/debug-shared/moc_qabstractitemmodel.cpp:203
#16 0x00007fa8ed3ebb1c in QAbstractItemModel::beginRemoveRows (this=this@entry=0x7fa8f32c4e60, parent=..., first=5, last=5) at kernel/qabstractitemmodel.cpp:2470
#17 0x00007fa8ee854b98 in QSortFilterProxyModelPrivate::remove_proxy_interval (this=this@entry=0x7fa8f32c4f60, source_to_proxy=..., proxy_to_source=..., proxy_start=5, proxy_end=5, proxy_parent=..., orient=orient@entry=Qt::Vertical, emit_signal=emit_signal@entry=true) at itemviews/qsortfilterproxymodel.cpp:557
#18 0x00007fa8ee85a3f8 in QSortFilterProxyModelPrivate::remove_source_items (this=this@entry=0x7fa8f32c4f60, source_to_proxy=..., proxy_to_source=..., source_items=..., source_parent=..., orient=orient@entry=Qt::Vertical, emit_signal=emit_signal@entry=true) at itemviews/qsortfilterproxymodel.cpp:539
#19 0x00007fa8ee85a668 in QSortFilterProxyModelPrivate::source_items_about_to_be_removed (this=0x7fa8f32c4f60, source_parent=..., start=8, end=8, orient=Qt::Vertical) at itemviews/qsortfilterproxymodel.cpp:840
#20 0x00007fa8ed411afd in QMetaObject::activate (sender=sender@entry=0x7fa8f32c51d0, m=m@entry=0x7fa8ed778e80 <QAbstractItemModel::staticMetaObject>, local_signal_index=local_signal_index@entry=6, argv=argv@entry=0x7ffffb7f3250) at kernel/qobject.cpp:3547
#21 0x00007fa8ed473b2d in QAbstractItemModel::rowsAboutToBeRemoved (this=this@entry=0x7fa8f32c51d0, _t1=..., _t2=_t2@entry=8, _t3=_t3@entry=8) at .moc/debug-shared/moc_qabstractitemmodel.cpp:203
#22 0x00007fa8ed3ebb1c in QAbstractItemModel::beginRemoveRows (this=this@entry=0x7fa8f32c51d0, parent=..., first=first@entry=8, last=last@entry=8) at kernel/qabstractitemmodel.cpp:2470
#23 0x00007fa8ee8657ba in QStandardItemModelPrivate::rowsAboutToBeRemoved (this=<optimized out>, parent=parent@entry=0x7fa8f7dabd60, start=start@entry=8, end=end@entry=8) at itemviews/qstandarditemmodel.cpp:535
#24 0x00007fa8ee868c8d in QStandardItem::removeRows (this=0x7fa8f7dabd60, row=row@entry=8, count=count@entry=1) at itemviews/qstandarditemmodel.cpp:1618
#25 0x00007fa8ee869150 in QStandardItem::removeRow (this=<optimized out>, row=row@entry=8) at itemviews/qstandarditemmodel.cpp:1592
#26 0x00007fa8b8576ae6 in LeechCraft::LMP::LocalCollectionModel::RemoveTrack (this=<optimized out>, id=133315) at /var/tmp/portage/app-leechcraft/lc-lmp-9999/work/lc-lmp-9999/src/plugins/lmp/localcollectionmodel.cpp:191
#27 0x00007fa8b84e465c in LeechCraft::LMP::LocalCollection::RemoveTrack (this=this@entry=0x7fa8f32bcbc0, path=...) at /var/tmp/portage/app-leechcraft/lc-lmp-9999/work/lc-lmp-9999/src/plugins/lmp/localcollection.cpp:573
#28 0x00007fa8b84e6362 in LeechCraft::LMP::LocalCollection::CheckRemovedFiles (this=this@entry=0x7fa8f32bcbc0, scanned=..., rootPath=...) at /var/tmp/portage/app-leechcraft/lc-lmp-9999/work/lc-lmp-9999/src/plugins/lmp/localcollection.cpp:693
#29 0x00007fa8b84e662a in LeechCraft::LMP::LocalCollection::handleIterateFinished (this=this@entry=0x7fa8f32bcbc0) at /var/tmp/portage/app-leechcraft/lc-lmp-9999/work/lc-lmp-9999/src/plugins/lmp/localcollection.cpp:772
#30 0x00007fa8b85c0ea0 in LeechCraft::LMP::LocalCollection::qt_static_metacall (_o=0x7fa8f32bcbc0, _id=<optimized out>, _a=0x7ffffb7f37b0, _c=<optimized out>) at /var/tmp/portage/app-leechcraft/lc-lmp-9999/work/lc-lmp-9999_build/moc_localcollection.cpp:74
#31 0x00007fa8ed411afd in QMetaObject::activate (sender=0x7fa90d2f4080, m=<optimized out>, local_signal_index=<optimized out>, argv=0x0) at kernel/qobject.cpp:3547
#32 0x00007fa8ed2a6262 in QFutureWatcherBase::event (this=<optimized out>, event=0x7fa826e0aaf0) at concurrent/qfuturewatcher.cpp:344
#33 0x00007fa8ee163aa3 in QApplicationPrivate::notify_helper (this=this@entry=0x7fa8f0645430, receiver=receiver@entry=0x7fa90d2f4080, e=e@entry=0x7fa826e0aaf0) at kernel/qapplication.cpp:4562
#34 0x00007fa8ee16b78d in QApplication::notify (this=0x7ffffb7f3f30, receiver=0x7fa90d2f4080, e=0x7fa826e0aaf0) at kernel/qapplication.cpp:4348
#35 0x00007fa8ef726c25 in LeechCraft::Application::notify (this=<optimized out>, obj=0x7fa90d2f4080, event=0x7fa826e0aaf0) at /var/tmp/portage/app-leechcraft/lc-core-9999/work/lc-core-9999/src/core/application.cpp:336
#36 0x00007fa8ed3f75ad in QCoreApplication::notifyInternal (this=0x7ffffb7f3f30, receiver=receiver@entry=0x7fa90d2f4080, event=event@entry=0x7fa826e0aaf0) at kernel/qcoreapplication.cpp:949
#37 0x00007fa8ed3fb7d2 in sendEvent (event=0x7fa826e0aaf0, receiver=0x7fa90d2f4080) at kernel/qcoreapplication.h:231
#38 QCoreApplicationPrivate::sendPostedEvents (receiver=receiver@entry=0x0, event_type=event_type@entry=0, data=0x7fa8f06455c0) at kernel/qcoreapplication.cpp:1573
```

```
#39 0x00007fa8ed3fbc39 in QApplication::sendPostedEvents (receiver=receiver@entry=0x0, event_type=event_type@entry=0) at kernel/qcoreapplication.cpp:1466
#40 0x00007fa8ed4319d9 in sendPostedEvents () at kernel/qcoreapplication.h:236
#41 postEventSourceDispatch (s=0x7fa8f0647c00) at kernel/qeventdispatcher_glib.cpp:280
#42 0x00007fa8e99b0b87 in g_main_context_dispatch () from /usr/lib64/libglib-2.0.so.0
#43 0x00007fa8e99b0f18 in ?? () from /usr/lib64/libglib-2.0.so.0
#44 0x00007fa8e99b1021 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#45 0x00007fa8ed430dc8 in QEventDispatcherGlib::processEvents (this=0x7fa8f06468e0, flags=...) at kernel/qeventdispatcher_glib.cpp:425
#46 0x00007fa8ee23219b in QGuiEventDispatcherGlib::processEvents (this=<optimized out>, flags=...) at kernel/qguieventdispatcher_glib.cpp:204
#47 0x00007fa8ed3f5183 in QEventLoop::processEvents (this=this@entry=0x7ffffb7f3ed0, flags=...) at kernel/qeventloop.cpp:149
#48 0x00007fa8ed3f5595 in QEventLoop::exec (this=this@entry=0x7ffffb7f3ed0, flags=...) at kernel/qeventloop.cpp:204
#49 0x00007fa8ed3fcaec in QApplication::exec () at kernel/qcoreapplication.cpp:1221
#50 0x00007fa8ee16185a in QApplication::exec () at kernel/qapplication.cpp:3823
#51 0x00007fa8ef6ee69f in main (argc=1, argv=0x7ffffb7f4128) at /var/tmp/portage/app-leechcraft/lc-core-9999/work/lc-core-9999/src/core/main.cpp:48
```

GDB exited with code 0

#2 - 07/17/2014 03:16 PM - Mellon

- Subject changed from *Снгфолт при старте при недоступности части коллекции* to *Сегфолт при старте при недоступности части коллекции*

#3 - 07/17/2014 04:28 PM - 0xd34df00d

Креш пахнет как [#1645](#).

#4 - 07/17/2014 04:28 PM - 0xd34df00d

- Related to Bug [#1645](#): *Зависания и падения после отмонтирования раздела с коллекцией added*

#5 - 08/06/2014 01:57 PM - Mellon

- File *lc_crash_14_08_06-12_32_25.log* added

- File *warning.out* added

- File *debug.out* added

sed /SvcAuth/d
sed /Azoth/d
Первое падение

#6 - 08/06/2014 01:59 PM - Mellon

- File *critical.log* added

- File *lc_crash_14_08_06-12_41_09.log* added

- File *warning.out* added

- File *debug.out* added

Падение при следующем старте

#7 - 08/28/2014 02:12 AM - 0xd34df00d

- Target version set to 0.6.75

- Status changed from *New* to *Assigned*

#8 - 08/28/2014 02:12 AM - 0xd34df00d

- Estimated time set to 8.00 h

- % Done changed from 0 to 100

- Status changed from *Assigned* to *Closed*

Пишут, починилось.

Files

lc_crash_14_07_16-13_33_24.log	48.7 KB	07/16/2014	Mellon
--------------------------------	---------	------------	--------

debug.out	1010 KB	08/06/2014	Mellon
warning.out	169 KB	08/06/2014	Mellon
lc_crash_14_08_06-12_32_25.log	57.5 KB	08/06/2014	Mellon
debug.out	381 KB	08/06/2014	Mellon
warning.out	175 KB	08/06/2014	Mellon
lc_crash_14_08_06-12_41_09.log	70.4 KB	08/06/2014	Mellon
critical.log	3.9 KB	08/06/2014	Mellon