

LeechCraft - Bug #1736

Некорректное поведение при переименовывании директорий в qtreeview вкладки файлов.

09/20/2014 05:51 PM - Mellon

Status:	Closed	Start date:	09/20/2014
Priority:	Normal	Due date:	
Assignee:	0xd34df00d	% Done:	100%
Category:	Plugins: BitTorrent	Estimated time:	17.00 hours
Target version:	0.6.75		
Reported in:	master		
Description screenshot.png Переименовал одну из директорий в 111. Всё сломалось.			
STR:			
Expected result:			
Actual result:			
System information: LeechCraft 0.6.70-789-g26b78f2 Built with Qt 4.8.5, running with Qt 4.8.5 Running on: Gentoo/Linux x86_64 3.14.17-gentoo #1 SMP PREEMPT Mon Sep 1 19:58:55 MSK 2014			
Related issues:			
Blocks Feature #1734: Функция перемещения отдельных файлов и директорий торрента		Assigned	09/20/2014

Associated revisions

Revision adb415fb - 09/21/2014 02:48 AM - 0xd34df00d

[BT] Proper recursive filename setting for #1736.

Revision 34c61b2e - 09/21/2014 04:59 AM - 0xd34df00d

[BT] TorrentNodeInfoBase::Reparent() for #1736.

Revision f4de30a9 - 09/21/2014 04:59 AM - 0xd34df00d

[BT] Support announcing rows on parent creation for #1736.

Revision 405e520d - 09/21/2014 05:00 AM - 0xd34df00d

[BT] TorrentFilesModel::handleFileRenamed() for #1736.

Revision e8e15810 - 09/21/2014 05:01 AM - 0xd34df00d

[BT] Handle file renamed alerts for #1736.

Revision 5a7a03c5 - 09/21/2014 05:03 AM - 0xd34df00d

[BT] Update size graph on renames.

This finally closes #1736.

Revision cd14e95b - 09/24/2014 02:40 AM - 0xd34df00d

[BT] Fix TFMB::FindIndex() for empty paths.

Just immediately return an invalid index, as empty parent path is root path.

Somewhat for #1736.

Revision f31ff40b - 09/24/2014 02:45 AM - 0xd34df00d

[BT] Slightly more idiot-proof^WW usable.

If original torrent file path contains '/', and the new one doesn't, just change the file name to the new one (that is, after renaming `foo/bar/baz` to `qux` the actual full path will be `foo/bar/quz`).

Finally fixes #1736.

History

#1 - 09/21/2014 02:49 AM - 0xd34df00d

- Estimated time set to 5.00 h
- Target version set to 0.6.75
- Status changed from New to Assigned

#2 - 09/21/2014 04:57 AM - 0xd34df00d

- Estimated time changed from 5.00 h to 15.00 h

Весь день чиню, блдж.

#3 - 09/21/2014 05:04 AM - 0xd34df00d

- % Done changed from 0 to 100
- Status changed from Assigned to Resolved

Applied in changeset [main|5a7a03c5535cbb708c0742671d0021aab3c2006](#).

#4 - 09/23/2014 09:19 AM - Mellon

Что-то не так

```
=== SYSTEM INFO ===
Offending signal: 11
App path: /usr/bin/leechcraft
App version: 0.6.70-864-ge680bf1
Qt version (build-time): 4.8.5
Qt version (runtime): 4.8.5
OS: Gentoo/Linux
OS version: x86_64 3.14.17-gentoo #1 SMP PREEMPT Mon Sep 1 19:58:55 MSK 2014
```

```
=== BACKTRACE ===
```

```
[New LWP 14640]
[New LWP 2560]
[New LWP 13125]
[New LWP 13122]
[New LWP 12477]
[New LWP 12348]
[New LWP 12290]
[New LWP 12289]
[New LWP 12288]
[New LWP 12287]
[New LWP 12169]
[New LWP 12168]
[New LWP 11488]
[New LWP 11487]
[New LWP 11486]
[New LWP 11465]
[New LWP 11463]
[New LWP 11450]
[New LWP 11448]
[New LWP 10921]
[New LWP 10920]
[New LWP 10758]
[New LWP 10756]
[New LWP 10744]
[New LWP 10729]
[New LWP 10680]
[New LWP 10679]
[New LWP 10677]
[New LWP 10675]
[New LWP 10613]
[New LWP 10604]
[New LWP 10601]
```

```

[New LWP 10598]
[New LWP 10597]
[New LWP 10593]
[New LWP 10585]
[New LWP 10582]
[New LWP 10575]
[New LWP 10569]
[New LWP 10568]
[New LWP 10567]
[New LWP 10566]
[New LWP 10558]
[New LWP 10557]
[New LWP 10556]
[New LWP 10555]
[New LWP 10552]
[New LWP 10551]
[New LWP 10550]
[New LWP 10549]
[New LWP 10548]
[New LWP 10547]
[New LWP 10546]
[New LWP 10545]
[New LWP 10544]
[New LWP 10537]
[Thread debugging using libthread_db enabled]
Using host libthread_db library "/lib64/libthread_db.so.1".
0x00007fef43a68756 in waitpid () from /lib64/libc.so.6
[Current thread is 1 (Thread 0x7fef481a9780 (LWP 10510))]
Thread 57 (Thread 0x7feefff08700 (LWP 10537)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fef42c33844 in ?? () from /usr/lib64/qt4/libQtWebKit.so.4
#2 0x00007fef42c338ab in ?? () from /usr/lib64/qt4/libQtWebKit.so.4
#3 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#4 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 56 (Thread 0x7feeff707700 (LWP 10544)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feef80008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feeff706dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feeff706dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef499c53e0) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef499c53e0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef499c53e0) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 55 (Thread 0x7feefef06700 (LWP 10545)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feef00008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feefef05dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feefef05dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49e7f210) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49e7f210) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49e7f210) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 54 (Thread 0x7feefe705700 (LWP 10546)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feef40008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feefe704dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feefe704dc0, flags=...) at kernel/qeventloop.cpp:204

```

```

p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49e8c060) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49e8c060) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49e8c060) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 53 (Thread 0x7feefdf04700 (LWP 10547)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feee80008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feefdf03dc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feefdf03dc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49e94790) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49e94790) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49e94790) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 52 (Thread 0x7feefd703700 (LWP 10548)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feee80008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feefd702dc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feefd702dc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49e88fd0) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49e88fd0) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49e88fd0) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 51 (Thread 0x7feefcf02700 (LWP 10549)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feee80008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feefcf01dc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feefcf01dc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49daa790) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49daa790) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49daa790) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 50 (Thread 0x7feee7fff700 (LWP 10550)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feee80008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feee7ffedc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feee7ffedc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49e8db80) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49e8db80) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49e8db80) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 49 (Thread 0x7feee77fe700 (LWP 10551)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0

```

```
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feed40008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feee77fddc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feee77fddc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49eabl0) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49eabl0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49eabl0) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 48 (Thread 0x7feee6ffd700 (LWP 10552)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef2916a4d4 in ?? () from /usr/lib64/libpulse.so.0
#2 0x00007fef29159cee in pa_mainloop_poll () from /usr/lib64/libpulse.so.0
#3 0x00007fef2915a401 in pa_mainloop_iterate () from /usr/lib64/libpulse.so.0
#4 0x00007fef2915a4e0 in pa_mainloop_run () from /usr/lib64/libpulse.so.0
#5 0x00007fef2916a44a in ?? () from /usr/lib64/libpulse.so.0
#6 0x00007fef2889b72c in ?? () from /usr/lib64/pulseaudio/libpulsecommon-5.0.so
#7 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#8 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 47 (Thread 0x7feee67fc700 (LWP 10555)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cd4 in QEventDispatcherGlib::processEvents (this=0x7feec80008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:450
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feee67fbde0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feee67fbde0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49f93660) at thread/qthread.cpp:536
#7 0x00007fef4519d92b in QThread::run (this=this@entry=0x7fef49f93660) at thread/qthread.cpp:603
#8 0x00007fef1695a2e5 in LeechCraft::Azoth::ChatHistory::StorageThread::run (this=0x7fef49f93660) at /var/tmp/portage/app-leechcraft/lc-azoth-9999/work/lc-azoth-9999/src/plugins/azoth/plugins/chathistory/storagethread.cpp:59
#9 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49f93660) at thread/qthread_unix.cpp:338
#10 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#11 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 46 (Thread 0x7feee5ffb700 (LWP 10556)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feec00008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feee5ffadc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feee5ffadc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49fc03f0) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49fc03f0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49fc03f0) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 45 (Thread 0x7feee57fa700 (LWP 10557)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feec40008c0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feee57f9dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feee57f9dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49fbb310) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49fbb310) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49fbb310) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 44 (Thread 0x7feee4ff9700 (LWP 10558)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
```

```

#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feeb80008c0, flags=...) at kernel/qevent
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feee4ff8dc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feee4ff8dc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef49fc43a0) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef49fc43a0) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49fc43a0) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 43 (Thread 0x7feecfffe700 (LWP 10566)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fef13a58d8b in libtorrent::disk_io_thread::thread_fun() () from /usr/lib64/libtorrent-rasterbar.so.
7
#2 0x00007fef13a1d732 in boost_asio_detail_posix_thread_function () from /usr/lib64/libtorrent-rasterbar.so.7
#3 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#4 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 42 (Thread 0x7feecf7fd700 (LWP 10567)):
#0 0x00007fef43a9d293 in epoll_wait () from /lib64/libc.so.6
#1 0x00007fef13a2686a in boost::asio::detail::epoll_reactor::run(bool, boost::asio::detail::op_queue<boost::a
sio::detail::task_io_service_operation>&) () from /usr/lib64/libtorrent-rasterbar.so.7
#2 0x00007fef13a274ea in boost::asio::detail::task_io_service::do_run_one(boost::asio::detail::scoped_lock<bo
ost::asio::detail::posix_mutex>&, boost::asio::detail::task_io_service_thread_info&, boost::system::error_code
const&) () from /usr/lib64/libtorrent-rasterbar.so.7
#3 0x00007fef13a2d2e1 in boost::asio::detail::task_io_service::run(boost::system::error_code&) () from /usr/l
ib64/libtorrent-rasterbar.so.7
#4 0x00007fef13b610ab in libtorrent::aux::session_impl::main_thread() () from /usr/lib64/libtorrent-rasterbar
.so.7
#5 0x00007fef13a1d732 in boost_asio_detail_posix_thread_function () from /usr/lib64/libtorrent-rasterbar.so.7
#6 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#7 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 41 (Thread 0x7fecefffc700 (LWP 10568)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fef13a27644 in boost::asio::detail::task_io_service::do_run_one(boost::asio::detail::scoped_lock<bo
ost::asio::detail::posix_mutex>&, boost::asio::detail::task_io_service_thread_info&, boost::system::error_code
const&) () from /usr/lib64/libtorrent-rasterbar.so.7
#2 0x00007fef13a2d2e1 in boost::asio::detail::task_io_service::run(boost::system::error_code&) () from /usr/l
ib64/libtorrent-rasterbar.so.7
#3 0x00007fef13a2d4dd in boost::asio::io_service::run() () from /usr/lib64/libtorrent-rasterbar.so.7
#4 0x00007fef13a1d732 in boost_asio_detail_posix_thread_function () from /usr/lib64/libtorrent-rasterbar.so.7
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 40 (Thread 0x7fece7fb700 (LWP 10569)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cd4 in QEventDispatcherGlib::processEvents (this=0x7feea80008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:450
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feee7fae20, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feee7fae20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4bb0bb70) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 39 (Thread 0x7feecdffa700 (LWP 10575)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feea00008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feecdff9dc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feecdff9dc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef4c1ffe80) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef4c1ffe80) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4c1ffe80) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

```

```

Thread 38 (Thread 0x7feecd59f700 (LWP 10582)):
#0 0x00007fef43792dbe in pthread_cond_timedwait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fef40444268 in g_cond_wait_until () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef0eca74c1 in gst_bus_timed_pop_filtered () from /usr/lib64/libgstreamer-0.10.so.0
#3 0x00007fef0f5c301e in LeechCraft::LMP::MsgPopThread::run (this=0x7fef4c5bb7a0) at /var/tmp/portage/app-lee
chcraft/lc-lmp-9999/work/lc-lmp-9999/src/plugins/lmp/engine/sourceobject.cpp:111
#4 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4c5bb7a0) at thread/qthread_unix.cpp:338
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 37 (Thread 0x7feea7327700 (LWP 10585)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee9c0008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7feea7326dc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7feea7326dc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef4c82b760) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef4c82b760) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4c82b760) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 36 (Thread 0x7fee9b3cf700 (LWP 10593)):
#0 0x00007fef43a94b83 in select () from /lib64/libc.so.6
#1 0x00007fef452b1cb2 in QProcessManager::run (this=0x7fef45661de0 <processManager()::processManager>) at io/
qprocess_unix.cpp:247
#2 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef45661de0 <processManager()::processManager>) at thr
ead/qthread_unix.cpp:338
#3 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#4 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 35 (Thread 0x7fee9abce700 (LWP 10597)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fef451a0dc3 in wait (time=18446744073709551615, this=0x7fef4cf67930) at thread/qwaitcondition_unix.
cpp:86
#2 QWaitCondition::wait (this=this@entry=0x7fef4cf674b8, mutex=mutex@entry=0x7fef4cf674b0, time=time@entry=18
446744073709551615) at thread/qwaitcondition_unix.cpp:158
#3 0x00007fef45e5bb47 in QFileInfoGatherer::run (this=0x7fef4cf674a0) at dialogs/qfileinfogatherer.cpp:214
#4 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4cf674a0) at thread/qthread_unix.cpp:338
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 34 (Thread 0x7fee9a3cd700 (LWP 10598)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee900008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee9a3ccdc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee9a3ccdc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef4cf67a30) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef4cf67a30) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4cf67a30) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 33 (Thread 0x7fee99bcc700 (LWP 10601)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fef451a0dc3 in wait (time=18446744073709551615, this=0x7fef4dlb48d0) at thread/qwaitcondition_unix.
cpp:86
#2 QWaitCondition::wait (this=<optimized out>, mutex=0x7fef4c0a25d0, time=18446744073709551615) at thread/qwa
itcondition_unix.cpp:158
#3 0x00007fef4292d52b in ?? () from /usr/lib64/qt4/libQtWebKit.so.4
#4 0x00007fef42930855 in ?? () from /usr/lib64/qt4/libQtWebKit.so.4
#5 0x00007fef42c3c961 in ?? () from /usr/lib64/qt4/libQtWebKit.so.4
#6 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4d1ae4a0) at thread/qthread_unix.cpp:338
#7 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#8 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 32 (Thread 0x7fee993cb700 (LWP 10604)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0

```

```

#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee880008c0, flags=...) at kernel/qevent
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee993cae20, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee993cae20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4d2e02c0) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 31 (Thread 0x7fee83fff700 (LWP 10613)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee7c0008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee83ffedc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee83ffedc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef4d32e1a0) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef4d32e1a0) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4d32e1a0) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 30 (Thread 0x7fee7aeab700 (LWP 10675)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cd4 in QEventDispatcherGlib::processEvents (this=0x7fee740008c0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:450
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee740013d0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=0x7fee740013d0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef29cf7b5e in QCA::SyncThread::run() () from /usr/lib64/qca2/libqca.so.2
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fee74003090) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 29 (Thread 0x7fee7a210700 (LWP 10677)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fef498eb730, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee7a20fe20, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee7a20fe20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef499a8670) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 28 (Thread 0x7fee7920e700 (LWP 10679)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee7c002f30, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee7920de20, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee7920de20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef49962d50) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

Thread 27 (Thread 0x7fee78a0d700 (LWP 10680)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee88004300, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee78a0cdc0, flags=...) at kernel/qeve

```



```

ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee78a0cdc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef4db74f50) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef4db74f50) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4db74f50) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 26 (Thread 0x7fee73fff700 (LWP 10729)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cd4 in QEventDispatcherGlib::processEvents (this=0x7fee84003300, flags=...) at kernel/qeven
tdispatcher_glib.cpp:450
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee73ffee20, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee73ffee20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef52b1e0c0) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 25 (Thread 0x7fee737fe700 (LWP 10744)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee90003130, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee737fddc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee737fddc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef5409aeb0) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef5409aeb0) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef5409aeb0) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 24 (Thread 0x7fee72c3b700 (LWP 10756)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee8c003fc0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee72c3ae20, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee72c3ae20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4d2f0ea0) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 23 (Thread 0x7fee7243a700 (LWP 10758)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee940013d0, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee72439dc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee72439dc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef4c5a1050) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef4c5a1050) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef4c5a1050) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 22 (Thread 0x7fee71833700 (LWP 10920)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cd4 in QEventDispatcherGlib::processEvents (this=0x7fee9c002c30, flags=...) at kernel/qeven
tdispatcher_glib.cpp:450

```

```
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee71832de0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee71832de0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef52361970) at thread/qthread.cpp:536
#7 0x00007fef44613b5a in QDeclarativePixmapReader::run (this=0x7fef52361970) at util/qdeclarativepixmapcache.cpp:576
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef52361970) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 21 (Thread 0x7fee71032700 (LWP 10921)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feea00013d0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee71031e20, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee71031e20, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fee9c006d50) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

Thread 20 (Thread 0x7fee66769700 (LWP 11448)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cd4 in QEventDispatcherGlib::processEvents (this=0x7feea0003530, flags=...) at kernel/qeventdispatcher_glib.cpp:450
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee66768de0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee66768de0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef5a7b9e20) at thread/qthread.cpp:536
#7 0x00007fef44613b5a in QDeclarativePixmapReader::run (this=0x7fef5a7b9e20) at util/qdeclarativepixmapcache.cpp:576
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef5a7b9e20) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 19 (Thread 0x7fee65f68700 (LWP 11450)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feea801f180, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee65f67e20, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee65f67e20, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7feea0007a50) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 18 (Thread 0x7fee65767700 (LWP 11463)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feeb40008e0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee65766dc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee65766dc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef58c8a5a0) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef58c8a5a0) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef58c8a5a0) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 17 (Thread 0x7fee64f66700 (LWP 11465)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
```

```
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feeb0016130, flags=...) at kernel/qevent
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee64f65dc0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee64f65dc0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef58e18380) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef58e18380) at io/qfilesystemwatcher_
inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef58e18380) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 16 (Thread 0x7fee59e3b700 (LWP 11486)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fee59e62973 in queue_processor(void*) () from /usr/lib64/icedtea7-web/lib64/IcedTeaPlugin.so
#2 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#3 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 15 (Thread 0x7fee5963a700 (LWP 11487)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fee59e62973 in queue_processor(void*) () from /usr/lib64/icedtea7-web/lib64/IcedTeaPlugin.so
#2 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#3 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 14 (Thread 0x7fee58e39700 (LWP 11488)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fee59e62973 in queue_processor(void*) () from /usr/lib64/icedtea7-web/lib64/IcedTeaPlugin.so
#2 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#3 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 13 (Thread 0x7fee4fcf0700 (LWP 12168)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cd4 in QEventDispatcherGlib::processEvents (this=0x7feec4003530, flags=...) at kernel/qeven
tdispatcher_glib.cpp:450
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee4fcefd0, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee4fcefd0, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef5dedb1d0) at thread/qthread.cpp:536
#7 0x00007fef44613b5a in QDeclarativePixmapReader::run (this=0x7fef5dedb1d0) at util/qdeclarativepixmapcache.
cpp:576
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef5dedb1d0) at thread/qthread_unix.cpp:338
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 12 (Thread 0x7fee4f4ef700 (LWP 12169)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7feec0003530, flags=...) at kernel/qeven
tdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee4f4eee20, flags=...) at kernel/qeve
ntloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee4f4eee20, flags=...) at kernel/qeventloop.cp
p:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7feec4007850) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 11 (Thread 0x7fee4c5c4700 (LWP 12287)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fee62e22c1c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fee62a6c9f0 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fee62e22e7c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fee62e233ce in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 10 (Thread 0x7fee4bd3700 (LWP 12288)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fee62e22c1c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fee62a6c9f0 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fee62e22e7c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fee62e233ce in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 9 (Thread 0x7fee4b5c2700 (LWP 12289)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
```

```

#1 0x00007fee62e22c1c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fee62a6c9f0 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fee62e22e7c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fee62e233ce in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

Thread 8 (Thread 0x7fee4adc1700 (LWP 12290)):
#0 0x00007fef437929ec in pthread_cond_wait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fee62e22c1c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fee62a6c9f0 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fee62e22e7c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fee62e233ce in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

Thread 7 (Thread 0x7fee49bda700 (LWP 12348)):
#0 0x00007fef43792dbe in pthread_cond_timedwait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fee62e22bf1 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fee62d81aad in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fee62e22e7c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fee62e233ce in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

Thread 6 (Thread 0x7fee48234700 (LWP 12477)):
#0 0x00007fef43792dbe in pthread_cond_timedwait@@GLIBC_2.3.2 () from /lib64/libpthread.so.0
#1 0x00007fee62e22bf1 in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#2 0x00007fee62d81aad in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#3 0x00007fee62e22e7c in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#4 0x00007fee62e233ce in ?? () from /usr/lib64/nsbrowser/plugins/libflashplayer.so
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

Thread 5 (Thread 0x7fee41fee700 (LWP 13122)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f0d0a in g_main_loop_run () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fee52657cc in ?? () from /usr/lib64/libgio-2.0.so.0
#4 0x00007fef4041f6db in ?? () from /usr/lib64/libglib-2.0.so.0
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

Thread 4 (Thread 0x7fee417ed700 (LWP 13125)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef403f0a41 in ?? () from /usr/lib64/libglib-2.0.so.0
#4 0x00007fef4041f6db in ?? () from /usr/lib64/libglib-2.0.so.0
#5 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#6 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

Thread 3 (Thread 0x7fee520dd700 (LWP 2560)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fee8a8debe0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee520dce20, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee520dce20, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=<optimized out>) at thread/qthread.cpp:536
#7 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef53de1cf0) at thread/qthread_unix.cpp:338
#8 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#9 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6

Thread 2 (Thread 0x7fee580eb700 (LWP 14640)):
#0 0x00007fef43a9210d in poll () from /lib64/libc.so.6
#1 0x00007fef403f0845 in ?? () from /usr/lib64/libglib-2.0.so.0
#2 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007fef45316cf7 in QEventDispatcherGlib::processEvents (this=0x7fef5fec867b0, flags=...) at kernel/qeventdispatcher_glib.cpp:452
#4 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fee580eadc0, flags=...) at kernel/qeventloop.cpp:149
#5 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fee580eadc0, flags=...) at kernel/qeventloop.cpp:204
#6 0x00007fef4519d7ed in QThread::exec (this=this@entry=0x7fef5fe41530) at thread/qthread.cpp:536
#7 0x00007fef452b573c in QInotifyFileSystemWatcherEngine::run (this=0x7fef5fe41530) at io/qfilesystemwatcher_inotify.cpp:256
#8 0x00007fef451a072c in QThreadPrivate::start (arg=0x7fef5fe41530) at thread/qthread_unix.cpp:338

```

```
#9 0x00007fef4378e38d in start_thread () from /lib64/libpthread.so.0
#10 0x00007fef43a9cb3d in clone () from /lib64/libc.so.6
Thread 1 (Thread 0x7fef481a9780 (LWP 10510)):
#3 <signal handler called>
#4 end (this=0x20) at /usr/include/qt4/QtCore/qvector.h:251
#5 GetRow (item=..., this=0x0) at /usr/include/leechcraft/util/models/modelitembase.h:144
#6 LeechCraft::Util::ModelItemBase<LeechCraft::Plugins::BitTorrent::TorrentNodeInfo>::GetRow (this=this@entry=0x7fef5c1f4178) at /usr/include/leechcraft/util/models/modelitembase.h:152
#7 0x00007fef1417e298 in IndexForNode (column=0, node=0x7fef5c1f4178, this=0x7fef543620e0) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999/src/plugins/bittorrent/torrentfilesmodelbase.h:121
#8 IndexForNode (column=0, node=..., this=0x7fef543620e0) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999/src/plugins/bittorrent/torrentfilesmodelbase.h:126
#9 LeechCraft::Plugins::BitTorrent::TorrentFilesModelBase<LeechCraft::Plugins::BitTorrent::TorrentNodeInfo>::FindIndex (this=0x7fef543620e0, path=...) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999/src/plugins/bittorrent/torrentfilesmodelbase.h:135
#10 0x00007fef1417f1fd in LeechCraft::Plugins::BitTorrent::TorrentFilesModelBase<LeechCraft::Plugins::BitTorrent::TorrentNodeInfo>::MkParentIfDoesntExist (this=this@entry=0x7fef543620e0, path=..., announce=announce@entry=true) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999/src/plugins/bittorrent/torrentfilesmodelbase.h:156
#11 0x00007fef1417c89b in LeechCraft::Plugins::BitTorrent::TorrentFilesModel::handleFileRenamed (this=0x7fef543620e0, torrent=<optimized out>, file=<optimized out>, newName=...) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999/src/plugins/bittorrent/torrentfilesmodel.cpp:397
#12 0x00007fef452f7afd in QMetaObject::activate (sender=sender@entry=0x7fef1440d260 <LeechCraft::Plugins::BitTorrent::Core::Instance()::core>, m=m@entry=0x7fef1440ae00 <LeechCraft::Plugins::BitTorrent::Core::staticMetaObject>, local_signal_index=local_signal_index@entry=5, argv=argv@entry=0x7fff76e0baf0) at kernel/qobject.cpp:3547
#13 0x00007fef141c44ed in LeechCraft::Plugins::BitTorrent::Core::fileRenamed (this=this@entry=0x7fef1440d260 <LeechCraft::Plugins::BitTorrent::Core::Instance()::core>, _t1=0, _t2=_t2@entry=1, _t3=...) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999_build/moc_core.cpp:186
#14 0x00007fef1414e800 in LeechCraft::Plugins::BitTorrent::Core::HandleFileRenamed (this=0x7fef1440d260 <LeechCraft::Plugins::BitTorrent::Core::Instance()::core>, a=...) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999/src/plugins/bittorrent/core.cpp:2047
#15 0x00007fef14158a48 in operator() (this=<optimized out>, a=...) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999/src/plugins/bittorrent/core.cpp:2474
#16 handle_alert_dispatch<LeechCraft::Plugins::BitTorrent::SimpleDispatcher, libtorrent::file_renamed_alert, libtorrent::file_rename_failed_alert, libtorrent::read_piece_alert, libtorrent::state_update_alert, libtorrent::dht_announce_alert, libtorrent::dht_reply_alert, libtorrent::dht_bootstrap_alert, libtorrent::dht_get_peers_alert, libtorrent::detail::void_, libtorrent::detail::void_, libtorrent::detail::void_, libtorrent::detail::void_> (p1=0x0, p2=0x0, p3=0x0, p4=0x0, p5=0x0, p6=0x0, p7=0x0, p8=0x0, p9=0x0, p10=0x0, p11=0x0, p12=0x0, p13=0x0, p14=0x0, typeid=..., handler=..., alert_=<synthetic pointer>) at /usr/include/libtorrent/alert.hpp:208
#17 handle_alert_dispatch<LeechCraft::Plugins::BitTorrent::SimpleDispatcher, libtorrent::file_error_alert, libtorrent::file_renamed_alert, libtorrent::file_rename_failed_alert, libtorrent::read_piece_alert, libtorrent::state_update_alert, libtorrent::dht_announce_alert, libtorrent::dht_reply_alert, libtorrent::dht_bootstrap_alert, libtorrent::dht_get_peers_alert, libtorrent::detail::void_, libtorrent::detail::void_, libtorrent::detail::void_> (p1=0x0, p2=0x0, p3=0x0, p4=0x0, p5=0x0, p6=0x0, p7=0x0, p8=0x0, p9=0x0, p10=0x0, p11=0x0, p12=0x0, p13=0x0, p14=0x0, typeid=..., handler=..., alert_=<synthetic pointer>) at /usr/include/libtorrent/alert.hpp:210
#18 handle_alert_dispatch<LeechCraft::Plugins::BitTorrent::SimpleDispatcher, libtorrent::metadata_received_alert, libtorrent::file_error_alert, libtorrent::file_renamed_alert, libtorrent::file_rename_failed_alert, libtorrent::read_piece_alert, libtorrent::state_update_alert, libtorrent::dht_announce_alert, libtorrent::dht_reply_alert, libtorrent::dht_bootstrap_alert, libtorrent::dht_get_peers_alert, libtorrent::detail::void_, libtorrent::detail::void_> (p1=0x0, p2=0x0, p3=0x0, p4=0x0, p5=0x0, p6=0x0, p7=0x0, p8=0x0, p9=0x0, p10=0x0, p11=0x0, p12=0x0, p13=0x0, p14=0x0, typeid=..., handler=..., alert_=<synthetic pointer>) at /usr/include/libtorrent/alert.hpp:210
#19 handle_alert_dispatch<LeechCraft::Plugins::BitTorrent::SimpleDispatcher, libtorrent::storage_moved_failed_alert, libtorrent::metadata_received_alert, libtorrent::file_error_alert, libtorrent::file_renamed_alert, libtorrent::file_rename_failed_alert, libtorrent::read_piece_alert, libtorrent::state_update_alert, libtorrent::dht_announce_alert, libtorrent::dht_reply_alert, libtorrent::dht_bootstrap_alert, libtorrent::dht_get_peers_alert, libtorrent::detail::void_, libtorrent::detail::void_, libtorrent::detail::void_> (p1=0x0, p2=0x0, p3=0x0, p4=0x0, p5=0x0, p6=0x0, p7=0x0, p8=0x0, p9=0x0, p10=0x0, p11=0x0, p12=0x0, p13=0x0, p14=0x0, typeid=..., handler=..., alert_=<synthetic pointer>) at /usr/include/libtorrent/alert.hpp:210
#20 handle_alert_dispatch<LeechCraft::Plugins::BitTorrent::SimpleDispatcher, libtorrent::storage_moved_alert, libtorrent::storage_moved_failed_alert, libtorrent::metadata_received_alert, libtorrent::file_error_alert, libtorrent::file_renamed_alert, libtorrent::file_rename_failed_alert, libtorrent::read_piece_alert, libtorrent::state_update_alert, libtorrent::dht_announce_alert, libtorrent::dht_reply_alert, libtorrent::dht_bootstrap_alert, libtorrent::dht_get_peers_alert, libtorrent::detail::void_, libtorrent::detail::void_, libtorrent::detail::void_> (p1=0x0, p2=0x0, p3=0x0, p4=0x0, p5=0x0, p6=0x0, p7=0x0, p8=0x0, p9=0x0, p10=0x0, p11=0x0, p12=0x0, p13=0x0, p14=0x0, typeid=..., handler=..., alert_=<synthetic pointer>) at /usr/include/libtorrent/alert.hpp:210
#21 handle_alert_dispatch<LeechCraft::Plugins::BitTorrent::SimpleDispatcher, libtorrent::save_resume_data_failed_alert, libtorrent::storage_moved_alert, libtorrent::storage_moved_failed_alert, libtorrent::metadata_received_alert, libtorrent::file_error_alert, libtorrent::file_renamed_alert, libtorrent::file_rename_failed_alert, libtorrent::read_piece_alert, libtorrent::state_update_alert, libtorrent::dht_announce_alert, libtorrent::dht_reply_alert, libtorrent::dht_bootstrap_alert, libtorrent::dht_get_peers_alert, libtorrent::detail::void_, libtorrent::detail::void_> (p1=0x0, p2=0x0, p3=0x0, p4=0x0, p5=0x0, p6=0x0, p7=0x0, p8=0x0, p9=0x0, p10=0x0, p11=0
```

```
x0, p12=0x0, p13=0x0, p14=0x0, typeid=..., handler=..., alert_=<synthetic pointer>) at /usr/include/libtorrent/alert.hpp:210
#22 handle_alert_dispatch<LeechCraft::Plugins::BitTorrent::SimpleDispatcher, libtorrent::save_resume_data_alert, libtorrent::save_resume_data_failed_alert, libtorrent::storage_moved_alert, libtorrent::storage_moved_failed_alert, libtorrent::metadata_received_alert, libtorrent::file_error_alert, libtorrent::file_renamed_alert, libtorrent::file_rename_failed_alert, libtorrent::read_piece_alert, libtorrent::state_update_alert, libtorrent::dht_announce_alert, libtorrent::dht_reply_alert, libtorrent::dht_bootstrap_alert, libtorrent::dht_get_peers_alert, libtorrent::detail::void_> (p1=0x0, p2=0x0, p3=0x0, p4=0x0, p5=0x0, p6=0x0, p7=0x0, p8=0x0, p9=0x0, p10=0x0, p11=0x0, p12=0x0, p13=0x0, p14=0x0, typeid=..., handler=..., alert_=<synthetic pointer>) at /usr/include/libtorrent/alert.hpp:210
#23 handle_alert_dispatch<LeechCraft::Plugins::BitTorrent::SimpleDispatcher, libtorrent::external_ip_alert, libtorrent::save_resume_data_alert, libtorrent::save_resume_data_failed_alert, libtorrent::storage_moved_alert, libtorrent::storage_moved_failed_alert, libtorrent::metadata_received_alert, libtorrent::file_error_alert, libtorrent::file_renamed_alert, libtorrent::file_rename_failed_alert, libtorrent::read_piece_alert, libtorrent::state_update_alert, libtorrent::dht_announce_alert, libtorrent::dht_reply_alert, libtorrent::dht_bootstrap_alert, libtorrent::dht_get_peers_alert> (p1=0x0, p2=0x0, p3=0x0, p4=0x0, p5=0x0, p6=0x0, p7=0x0, p8=0x0, p9=0x0, p10=0x0, p11=0x0, p12=0x0, p13=0x0, p14=0x0, typeid=..., handler=..., alert_=<synthetic pointer>) at /usr/include/libtorrent/alert.hpp:210
#24 handle_alert<LeechCraft::Plugins::BitTorrent::SimpleDispatcher> (handler=..., alert_=<synthetic pointer>, this=<optimized out>) at /usr/include/libtorrent/alert.hpp:237
#25 LeechCraft::Plugins::BitTorrent::Core::queryLibtorrentForWarnings (this=this@entry=0x7fef1440d260 <LeechCraft::Plugins::BitTorrent::Core::Instance()::core>) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999/src/plugins/bittorrent/core.cpp:2587
#26 0x00007fef141c4728 in LeechCraft::Plugins::BitTorrent::Core::qt_static_metacall (_o=0x7fef1440d260 <LeechCraft::Plugins::BitTorrent::Core::Instance()::core>, _c=<optimized out>, _id=<optimized out>, _a=0x7fff76e0be60) at /var/tmp/portage/app-leechcraft/lc-bittorrent-9999/work/lc-bittorrent-9999_build/moc_core.cpp:91
#27 0x00007fef452f7afd in QObject::activate (sender=0x7fef49f509c0, m=<optimized out>, local_signal_index=<optimized out>, argv=0x0) at kernel/qobject.cpp:3547
#28 0x00007fef452fcd21 in QObject::event (this=0x7fef49f509c0, e=<optimized out>) at kernel/qobject.cpp:1156
#29 0x00007fef45835ee3 in QApplicationPrivate::notify_helper (this=this@entry=0x7fef49731450, receiver=receiver@entry=0x7fef49f509c0, e=e@entry=0x7fff76e0c320) at kernel/qapplication.cpp:4562
#30 0x00007fef4583dc9d in QApplication::notify (this=0x7fff76e0c650, receiver=0x7fef49f509c0, e=0x7fff76e0c320) at kernel/qapplication.cpp:4348
#31 0x00007fef48298395 in LeechCraft::Application::notify (this=<optimized out>, obj=0x7fef49f509c0, event=0x7fff76e0c320) at /var/tmp/portage/app-leechcraft/lc-core-9999/work/lc-core-9999/src/core/application.cpp:342
#32 0x00007fef452dd5ad in QCoreApplication::notifyInternal (this=0x7fff76e0c650, receiver=0x7fef49f509c0, event=event@entry=0x7fff76e0c320) at kernel/qcoreapplication.cpp:949
#33 0x00007fef4531b202 in sendEvent (event=0x7fff76e0c320, receiver=<optimized out>) at kernel/qcoreapplication.h:231
#34 QTimerInfoList::activateTimers (this=0x7fef49733e60) at kernel/qeventdispatcher_unix.cpp:621
#35 0x00007fef45316a63 in timerSourceDispatch (source=<optimized out>) at kernel/qeventdispatcher_glib.cpp:193
#36 idleTimerSourceDispatch (source=<optimized out>) at kernel/qeventdispatcher_glib.cpp:240
#37 0x00007fef403f0629 in g_main_context_dispatch () from /usr/lib64/libglib-2.0.so.0
#38 0x00007fef403f08b8 in ?? () from /usr/lib64/libglib-2.0.so.0
#39 0x00007fef403f09c1 in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#40 0x00007fef45316cd4 in QEventDispatcherGlib::processEvents (this=0x7fef497328e0, flags=...) at kernel/qeventdispatcher_glib.cpp:450
#41 0x00007fef459046ab in QGuiEventDispatcherGlib::processEvents (this=<optimized out>, flags=...) at kernel/qguieventdispatcher_glib.cpp:204
#42 0x00007fef452db183 in QEventLoop::processEvents (this=this@entry=0x7fff76e0c5f0, flags=...) at kernel/qeventloop.cpp:149
#43 0x00007fef452db595 in QEventLoop::exec (this=this@entry=0x7fff76e0c5f0, flags=...) at kernel/qeventloop.cpp:204
#44 0x00007fef452e2aec in QCoreApplication::exec () at kernel/qcoreapplication.cpp:1221
#45 0x00007fef45833c9a in QApplication::exec () at kernel/qapplication.cpp:3823
#46 0x00007fef4825fdaf in main (argc=1, argv=0x7fff76e0c838) at /var/tmp/portage/app-leechcraft/lc-core-9999/work/lc-core-9999/src/core/main.cpp:48
```

GDB exited with code 0

#5 - 09/23/2014 09:38 AM - Mellon

Причем при попытке переименовать директорию, она создается в директории сохранения.
То есть при попытке

```
/path/torrent_root/a/ → /path/torrent_root/c/  
получается  
/path/c/  
/path/torrent_root/
```

#6 - 09/23/2014 09:39 AM - Mellon

- File lc_crash_14_09_23-09_24_18.log added

При попытке переименовать файл, тоже валится.

Возможно, проще было бы посмотреть, как это в qbt напилено.

#7 - 09/24/2014 02:24 AM - 0xd34df00d

- *Blocks Feature #1734: Функция перемещения отдельных файлов и директорий торрента added*

#8 - 09/24/2014 02:33 AM - 0xd34df00d

Прости за очень глупый вопрос, но ты для переименования директории весь текст в лэйндите заменяешь на с или только последнюю часть?

#9 - 09/24/2014 02:46 AM - 0xd34df00d

- *Estimated time changed from 15.00 h to 17.00 h*

Починил и неучитывание крайнего случая в логике работы модельки, и интерпретацию пользовательского ввода. Спасибо :3

#10 - 09/24/2014 02:46 AM - 0xd34df00d

Applied in changeset [main|f31ff40bbbd54983751025706a1493282003eec3](#).

#11 - 09/24/2014 01:13 PM - Mellon

- *Status changed from Resolved to Closed*

0xd34df00d wrote:

Прости за очень глупый вопрос, но ты для переименования директории весь текст в лэйндите заменяешь на с или только последнюю часть?

!! Хороший вопрос. И снова LeechCraft-way во все поля. Заменял всё. Потому, что при переименовании поле ввода сохраняет тот же самый размер, что и label имени ветки, а не расширяется до правой границы колонки. В итоге то, что было написано до имени просто не было видно. А предположить, что у тебя переименование как-то связано с перемещением я не смог. В общем, пасяб, теперь норм. а херню с шириной выношу в отдельный баг.

Files

lc_crash_14_09_23-09_24_18.log	61.9 KB	09/23/2014	Mellon
--------------------------------	---------	------------	--------