

LeechCraft - Bug #1871

Падение при повторном переходе на тег

01/30/2015 11:49 AM - panter_dsd

Status:	Closed	Start date:	01/30/2015
Priority:	Normal	Due date:	
Assignee:	0xd34df00d	% Done:	100%
Category:	Core	Estimated time:	5.00 hours
Target version:	0.6.75		
Reported in:	master		

Description

В дереве фидов вызываю контекстное меню у тэга, выбираю Settings и через пару секунд происходит падение.

```
=== SYSTEM INFO ===
```

```
Offending signal: 11
```

```
App path: /usr/bin/leechcraft
```

```
App version: 0.6.70-2288-g3a3b60a
```

```
Qt version (build-time): 4.8.6
```

```
Qt version (runtime): 4.8.6
```

```
OS: Gentoo/Linux
```

```
OS version: x86_64 3.17.0-pf4 #1 SMP PREEMPT Wed Jan 21 13:14:31 MSK 2015
```

```
=== BACKTRACE ===
```

```
[New LWP 7919]
```

```
[New LWP 7914]
```

```
[New LWP 7913]
```

```
[New LWP 7911]
```

```
[New LWP 7910]
```

```
[New LWP 7909]
```

```
[New LWP 7908]
```

```
[New LWP 7903]
```

```
[New LWP 7902]
```

```
[New LWP 7901]
```

```
[New LWP 7900]
```

```
[New LWP 7899]
```

```
[New LWP 7898]
```

```
[New LWP 7897]
```

```
[New LWP 7896]
```

```
[New LWP 7895]
```

```
[New LWP 7894]
```

```
[New LWP 7893]
```

```
[New LWP 7892]
```

```
[New LWP 7891]
```

```
[New LWP 7890]
```

```
[New LWP 7889]
```

```
[New LWP 7888]
```

```
[New LWP 7887]
```

```
[New LWP 7886]
```

```
[New LWP 7885]
```

```
[New LWP 7884]
```

```
[New LWP 7883]
```

```
[New LWP 7882]
```

```
[New LWP 7881]
```

```
[New LWP 7880]
```

```
[Thread debugging using libthread_db enabled]
```

```
Using host libthread_db library "/lib64/libthread_db.so.1".
```

```
0x00007f4bf4a4ba5b in waitpid () from /lib64/libc.so.6
```

```
[Current thread is 1 (Thread 0x7f4bf906c7c0 (LWP 7879))]
```

```
Thread 32 (Thread 0x7f4bdf7ce700 (LWP 7880)):
```

```
#0 0x00007f4bf3957bd8 in pthread_cond_timedwait () from /lib64/libpthread.so.0
```

```
#1 0x00007f4bf6cf0c54 in QWaitCondition::wait(QMutex*, unsigned long) () from /usr/lib64/qt4/libQ
```

```

tCore.so.4
#2 0x00007f4bf6ce3b7d in QThreadPoolThread::run() () from /usr/lib64/qt4/libQtCore.so.4
#3 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#5 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 31 (Thread 0x7f4bdefcd700 (LWP 7881)):
#0 0x00007f4bf3957bd8 in pthread_cond_timedwait () from /lib64/libpthread.so.0
#1 0x00007f4bf6cf0c54 in QWaitCondition::wait(QMutex*, unsigned long) () from /usr/lib64/qt4/libQtCore.so.4
#2 0x00007f4bf6ce3b7d in QThreadPoolThread::run() () from /usr/lib64/qt4/libQtCore.so.4
#3 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#5 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 30 (Thread 0x7f4bde7cc700 (LWP 7882)):
#0 0x00007f4bf3957bd8 in pthread_cond_timedwait () from /lib64/libpthread.so.0
#1 0x00007f4bf6cf0c54 in QWaitCondition::wait(QMutex*, unsigned long) () from /usr/lib64/qt4/libQtCore.so.4
#2 0x00007f4bf6ce3b7d in QThreadPoolThread::run() () from /usr/lib64/qt4/libQtCore.so.4
#3 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#5 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 29 (Thread 0x7f4bddfcb700 (LWP 7883)):
#0 0x00007f4bf3957bd8 in pthread_cond_timedwait () from /lib64/libpthread.so.0
#1 0x00007f4bf6cf0c54 in QWaitCondition::wait(QMutex*, unsigned long) () from /usr/lib64/qt4/libQtCore.so.4
#2 0x00007f4bf6ce3b7d in QThreadPoolThread::run() () from /usr/lib64/qt4/libQtCore.so.4
#3 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#5 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 28 (Thread 0x7f4bc0848700 (LWP 7884)):
#0 0x00007f4bf395782f in pthread_cond_wait () from /lib64/libpthread.so.0
#1 0x00007f4bf00117ae in WTF::TCMalloc_PageHeap::scavengerThread() () from /usr/lib64/qt4/libQtWebKit.so.4
#2 0x00007f4bf00117e9 in WTF::TCMalloc_PageHeap::runScavengerThread(void*) () from /usr/lib64/qt4/libQtWebKit.so.4
#3 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#4 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 27 (Thread 0x7f4bbbfff700 (LWP 7885)):
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6cede39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 26 (Thread 0x7f4bbb7fe700 (LWP 7886)):
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4

```

```
#6 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#7 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#8 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#9 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#10 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
```

Thread 25 (Thread 0x7f4bbaffd700 (LWP 7887)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2bffe in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#7 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#8 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#9 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
```

Thread 24 (Thread 0x7f4bba7fc700 (LWP 7888)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2bffe in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#7 0x00007f4bdd2f653c in LeechCraft::Aggregator::DBUpdateThread::run() () from /usr/lib64/leechcraft/plugins/libleechcraft_aggregator.so
#8 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#9 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#10 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
```

Thread 23 (Thread 0x7f4bb99fb700 (LWP 7889)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#7 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#8 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#9 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#10 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
```

Thread 22 (Thread 0x7f4bb97fa700 (LWP 7890)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
#7 0x00007f4bf6c358d in poll () from /lib64/libc.so.6
```

```

so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 21 (Thread 0x7f4bb8ff9700 (LWP 7891)):
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c39e39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 20 (Thread 0x7f4b9bfff700 (LWP 7892)):
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c39e39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 19 (Thread 0x7f4b9b7fe700 (LWP 7893)):
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c39e39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 18 (Thread 0x7f4b9affd700 (LWP 7894)):
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c39e39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4

```

```
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

Thread 17 (Thread 0x7f4b9a7fc700 (LWP 7895)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6cede39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bcf9b0cb9 in LeechCraft::Azoth::ChatHistory::StorageThread::run() () from /usr/lib64/leechcraft/plugins/libleechcraft_azoth_chathistory.so
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

Thread 16 (Thread 0x7f4b99ffb700 (LWP 7896)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6cede39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

Thread 15 (Thread 0x7f4b997fa700 (LWP 7897)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6cede39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

Thread 14 (Thread 0x7f4b98ff9700 (LWP 7898)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
```

```
#6 0x00007f4bf6cede39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

Thread 13 (Thread 0x7f4b7bfff700 (LWP 7899)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6cede39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

Thread 12 (Thread 0x7f4b7b7fe700 (LWP 7900)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6cede39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#9 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

Thread 11 (Thread 0x7f4b7affd700 (LWP 7901)):

```
#0 0x00007f4bf395782f in pthread_cond_wait () from /lib64/libpthread.so.0
#1 0x00007f4bf6cf0c76 in QWaitCondition::wait(QMutex*, unsigned long) () from /usr/lib64/qt4/libQtCore.so.4
#2 0x00007f4befd307bb in WebCore::IconDatabase::syncThreadMainLoop() () from /usr/lib64/qt4/libQtWebKit.so.4
#3 0x00007f4befd358d8 in WebCore::IconDatabase::iconDatabaseSyncThread() () from /usr/lib64/qt4/libQtWebKit.so.4
#4 0x00007f4bf001e13b in WTF::ThreadPrivate::run() () from /usr/lib64/qt4/libQtWebKit.so.4
#5 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#7 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

Thread 10 (Thread 0x7f4b7a7fc700 (LWP 7902)):

```
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6cede39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
```

```

#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 9 (Thread 0x7f4b79ffb700 (LWP 7903)):
#0 0x00007f4bf395782f in pthread_cond_wait () from /lib64/libpthread.so.0
#1 0x00007f4bf411c7fa in QTWTF::TCMalloc_PageHeap::scavengerThread() () from /usr/lib64/qt4/libQtScript.so.4
#2 0x00007f4bf411c829 in QTWTF::TCMalloc_PageHeap::runScavengerThread(void*) () from /usr/lib64/qt4/libQtScript.so.4
#3 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#4 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 8 (Thread 0x7f4b797fa700 (LWP 7908)):
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 7 (Thread 0x7f4b78ff9700 (LWP 7909)):
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

Thread 6 (Thread 0x7f4adbfff700 (LWP 7910)):
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#3 0x00007f4bf6e2bffe in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#6 0x00007f4bf6c39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4
#7 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#8 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#9 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
Thread 5 (Thread 0x7f4adb7fe700 (LWP 7911)):
#0 0x00007f4bf3957bd8 in pthread_cond_timedwait () from /lib64/libpthread.so.0
#1 0x00007f4bf6cf0c54 in QWaitCondition::wait(QMutex*, unsigned long) () from /usr/lib64/qt4/libQtCore.so.4
#2 0x00007f4bf6ce3b7d in QThreadPoolThread::run() () from /usr/lib64/qt4/libQtCore.so.4
#3 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4
#4 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0
#5 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6

```

```
Thread 4 (Thread 0x7f4adaffd700 (LWP 7913)):  
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6  
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0  
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0  
#3 0x00007f4bf6e2c01e in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag  
>) () from /usr/lib64/qt4/libQtCore.so.4  
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from  
/usr/lib64/qt4/libQtCore.so.4  
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib  
64/qt4/libQtCore.so.4  
#6 0x00007f4bf6ced39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4  
#7 0x00007f4bf6ddb113 in QInotifyFileSystemWatcherEngine::run() () from /usr/lib64/qt4/libQtCore.  
so.4  
#8 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4  
#9 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0  
#10 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

```
Thread 3 (Thread 0x7f4ada7fc700 (LWP 7914)):  
#0 0x00007f4bf4a7358d in poll () from /lib64/libc.so.6  
#1 0x00007f4bf365ab74 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0  
#2 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0  
#3 0x00007f4bf6e2bffe in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag  
>) () from /usr/lib64/qt4/libQtCore.so.4  
#4 0x00007f4bf6dfafaf in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from  
/usr/lib64/qt4/libQtCore.so.4  
#5 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib  
64/qt4/libQtCore.so.4  
#6 0x00007f4bf6ced39 in QThread::exec() () from /usr/lib64/qt4/libQtCore.so.4  
#7 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4  
#8 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0  
#9 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

```
Thread 2 (Thread 0x7f4ad9ffb700 (LWP 7919)):  
#0 0x00007f4bf4a752b3 in select () from /lib64/libc.so.6  
#1 0x00007f4bf6dd77cf in QProcessManager::run() () from /usr/lib64/qt4/libQtCore.so.4  
#2 0x00007f4bf6cf06ff in QThreadPrivate::start(void*) () from /usr/lib64/qt4/libQtCore.so.4  
#3 0x00007f4bf39522c4 in start_thread () from /lib64/libpthread.so.0  
#4 0x00007f4bf4a7c3fd in clone () from /lib64/libc.so.6
```

```
Thread 1 (Thread 0x7f4bf906c7c0 (LWP 7879)):  
#2 <signal handler called>  
#3 0x00007f4bdcff9985 in LeechCraft::Util::MergeModel::GetStartingRow(QList<QPointer<QAbstractIte  
mModel> >::const_iterator) const () from /usr/lib64/libleechcraft-util-models.so.0.6.75  
#4 0x00007f4bdcffa3f3 in LeechCraft::Util::MergeModel::GetModelForRow(int, int*) () from /usr/lib  
64/libleechcraft-util-models.so.0.6.75  
#5 0x00007f4bdd2b798f in LeechCraft::Aggregator::ItemsWidget::IsItemReadNotCurrent(int) const ()  
from /usr/lib64/libleechcraft/plugins/libleechcraft_aggregator.so  
#6 0x00007f4bdd285f29 in LeechCraft::Aggregator::ItemsFilterModel::filterAcceptsRow(int, QModelIn  
dex const&) const () from /usr/lib64/libleechcraft/plugins/libleechcraft_aggregator.so  
#7 0x00007f4bf78cb0cc in QSortFilterProxyModelPrivate::source_items_inserted(QModelIndex const&  
, int, int, Qt::Orientation) () from /usr/lib64/qt4/libQtGui.so.4  
#8 0x00007f4bf78cb33f in QSortFilterProxyModelPrivate::_q_sourceRowsInserted(QModelIndex const&  
, int, int) () from /usr/lib64/qt4/libQtGui.so.4  
#9 0x00007f4bf6e113ac in QMetaObject::activate(QObject*, QMetaObject const*, int, void**) () from  
/usr/lib64/qt4/libQtCore.so.4  
#10 0x00007f4bf6e5e784 in QAbstractItemModel::rowsInserted(QModelIndex const&, int, int) () from /  
usr/lib64/qt4/libQtCore.so.4  
#11 0x00007f4bf6df5692 in QAbstractItemModel::endInsertRows() () from /usr/lib64/qt4/libQtCore.so.  
4  
#12 0x00007f4bdcffb3ac9 in LeechCraft::Util::MergeModel::AddModel(QAbstractItemModel*) () from /usr  
/lib64/libleechcraft-util-models.so.0.6.75  
#13 0x00007f4bdd2b9edc in LeechCraft::Aggregator::ItemsWidget::AddSupplementaryModelFor(LeechCraft  
::Aggregator::ChannelShort const&) () from /usr/lib64/libleechcraft/plugins/libleechcraft_aggregator.  
so  
#14 0x00007f4bdd2c5805 in LeechCraft::Aggregator::ItemsWidget::SetMergeModeTags(QStringList const&  
) () from /usr/lib64/libleechcraft/plugins/libleechcraft_aggregator.so
```



```
#15 0x00007f4bdd234049 in LeechCraft::Aggregator::Aggregator::currentChannelChanged() () from /usr/lib64/leechcraft/plugins/libleechcraft_aggregator.so
#16 0x00007f4bdd2fe555 in LeechCraft::Aggregator::Aggregator::qt_static_metacall(QObject*, QMetaObject::Call, int, void**) () from /usr/lib64/leechcraft/plugins/libleechcraft_aggregator.so
#17 0x00007f4bf6e113ac in QMetaObject::activate(QObject*, QMetaObject const*, int, void**) () from /usr/lib64/qt4/libQtCore.so.4
#18 0x00007f4bf7894e5a in QItemSelectionModel::currentChanged(QModelIndex const&, QModelIndex const&) () from /usr/lib64/qt4/libQtGui.so.4
#19 0x00007f4bf7894fcf in QItemSelectionModel::setCurrentIndex(QModelIndex const&, QFlags<QItemSelectionModel::SelectionFlag>) () from /usr/lib64/qt4/libQtGui.so.4
#20 0x00007f4bf78420dc in QAbstractItemView::mousePressEvent(QMouseEvent*) () from /usr/lib64/qt4/libQtGui.so.4
#21 0x00007f4bf7380c17 in QWidget::event(QEvent*) () from /usr/lib64/qt4/libQtGui.so.4
#22 0x00007f4bf772784e in QFrame::event(QEvent*) () from /usr/lib64/qt4/libQtGui.so.4
#23 0x00007f4bf78482f3 in QAbstractItemView::viewportEvent(QEvent*) () from /usr/lib64/qt4/libQtGui.so.4
#24 0x00007f4bf788af70 in QTreeView::viewportEvent(QEvent*) () from /usr/lib64/qt4/libQtGui.so.4
#25 0x00007f4bf6dfc5c6 in QCoreApplicationPrivate::sendThroughObjectEventFilters(QObject*, QEvent*) () from /usr/lib64/qt4/libQtCore.so.4
#26 0x00007f4bf732becc in QApplicationPrivate::notify_helper(QObject*, QEvent*) () from /usr/lib64/qt4/libQtGui.so.4
#27 0x00007f4bf7332c6f in QApplication::notify(QObject*, QEvent*) () from /usr/lib64/qt4/libQtGui.so.4
#28 0x0000000004588d5 in LeechCraft::Application::notify(QObject*, QEvent*) ()
#29 0x00007f4bf6dfc44d in QCoreApplication::notifyInternal(QObject*, QEvent*) () from /usr/lib64/qt4/libQtCore.so.4
#30 0x00007f4bf73322bf in QApplicationPrivate::sendMouseEvent(QWidget*, QMouseEvent*, QWidget*, QWidget*, QWidget**, QPointer<QWidget>&, bool) () from /usr/lib64/qt4/libQtGui.so.4
#31 0x00007f4bf73a9b12 in QETWidget::translateMouseEvent(_XEvent const*) () from /usr/lib64/qt4/libQtGui.so.4
#32 0x00007f4bf73a84ec in QApplication::x11ProcessEvent(_XEvent*) () from /usr/lib64/qt4/libQtGui.so.4
#33 0x00007f4bf73d0b72 in x11EventSourceDispatch(_GSource*, int (*)(void*), void*) () from /usr/lib64/qt4/libQtGui.so.4
#34 0x00007f4bf365a8ed in g_main_context_dispatch () from /usr/lib64/libglib-2.0.so.0
#35 0x00007f4bf365abd8 in g_main_context_iterate.isra () from /usr/lib64/libglib-2.0.so.0
#36 0x00007f4bf365ac8c in g_main_context_iteration () from /usr/lib64/libglib-2.0.so.0
#37 0x00007f4bf6e2bffe in QEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#38 0x00007f4bf73d0c36 in QGuiEventDispatcherGlib::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtGui.so.4
#39 0x00007f4bf6dfafaf1 in QEventLoop::processEvents(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#40 0x00007f4bf6dfb305 in QEventLoop::exec(QFlags<QEventLoop::ProcessEventsFlag>) () from /usr/lib64/qt4/libQtCore.so.4
#41 0x00007f4bf6e00b09 in QCoreApplication::exec() () from /usr/lib64/qt4/libQtCore.so.4
#42 0x000000000429038 in main ()

GDB exited with code 0
```

Associated revisions

Revision f7f259c8 - 02/21/2015 03:05 PM - 0xd34df00d

[Util] Actually delete source model in MergeModel::RemoveModel().

Fixes #1871 and probably quite a few other subtle bugs.

History

#1 - 02/21/2015 02:49 PM - 0xd34df00d

- Target version set to 0.6.75

- Status changed from New to Assigned

- Subject changed from Падение при попытке вызвать настройки тэга to Падение при повторном переходе на тег

Ок, удалось даже более простые и общие STR получить:

1. Выбрать ленту.
2. Выбрать её тег.
3. Выбрать снова ленту в том же теге.
4. Выбрать снова тот же тег.

Может, с разными тегами тоже будет работать, на тестовом юзере у меня этого случая всё равно нет.

#2 - 02/21/2015 03:09 PM - 0xd34df00d

- *Estimated time set to 5.00 h*

#3 - 02/21/2015 03:09 PM - 0xd34df00d

- *% Done changed from 0 to 100*

- *Status changed from Assigned to Resolved*

Applied in changeset [main|f7f259c866a5414934982c443ae8e86cf05e9f8c](#).

#4 - 02/21/2015 03:09 PM - 0xd34df00d

- *Category changed from Plugins: Aggregator to Core*

#5 - 03/04/2015 12:35 AM - 0xd34df00d

- *Status changed from Resolved to Closed*

Ок, будем считать, что починено.